Technical Service (888)780-3229 (Option 2)

CORROSHIELD Inspect. Prescribe. Protect.

Revision Date: 11/22/19

Corro Crete SLB Part C

1. Product and Company Identification

Product Name: Corro Crete SLB

Product Class: Blended aggregates and Cement, Part C

Product Type: Component of a 4 Component Coating for Industrial Use

D.O.T. Category: Not Regulated

Manufacturer: Corroshield Industries Inc.

2575 United Lane

Elk Grove Village, IL 60007

Telephone: 847/298-7770

Emergency: 1-800/535-5053 INFOTRAC

2. Hazards Identification

Hazard-Risk Classification

Carcinogenicity:Category 1ASTOT, single exposureCategory 1STOT, single exposureCategory 3, RTISkin CorrosionCategory 1Skin SensitizerCategory 1

Label elements including precautionary statements

Hazard Pictograms/Symbols:



Signal Word: Danger

Named Chemicals on Label Calcium hydroxide, quartz (silicon dioxide), Portland cement

Hazard-Risk Statements:

Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, single exposure, category 1	H370	Causes damage to organs.

Precautionary Statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/ face protection.
P284	Wear respiratory protection.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.





P305+P351+P3	IF IN EYES: Rinse cautiously with water for several minutes.
38	Remove contact lenses, if present and easy to do so. Continue rinsing.
P307+311	IF exposed, call a POISON CENTER or doctor/physician.
P308+313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.

Other Hazards: No information.

Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information on Ingredients

CAS-No.	Chemical Name	%
14808-60-7	quartz (silicon dioxide)	50-75
65997-15-1	Portland cement	25-50
1305-62-0	calcium hydroxide	10-25

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
14808-60-7	GHS07-GHS08	H335-350-370	0
65997-15-1	GHS05-GHS07	H315-317-318-335	0
1305-62-0	GHS05-GHS07	H314-335	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First Aid Measures

General Notes: No Information

After Inhalation: Move to fresh air. Consult a physician after significant exposure.

After Skin Contact: Use a mild soap if available. Wash off with soap and plenty of water.

After Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If

eye irritation persists, consult a specialist.

After Ingestion: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water

to drink. Never give anything by mouth to an unconscious person.

Self-Protection of the First Aider: No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Most important symptoms and effects, Harmful by inhalation.

both acute and delayed:

Indication of any immediate medical

No information available on clinical testing and medical monitoring. Specific

toxicological

attention and special treatment needed: information on substances, if available, can be found in section 11.

5. Fire-Fighting Measures

Suitable (and unsuitable)

extinguishing media: Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unsuitable extinguishing media: Alcohol, Alcohol based solutions, any other media not listed above.

Specific hazards arising from the chemical:

Special protective equipment and precautions for fire-fighters:

No Information

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water sprayDry powderAlcohol-resistant foamCarbon dioxide

(CO2)High volume water jet. None.

6. Accidental Release Measures

Personal precautions, protective

equipment and emergency procedures: Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

Environmental precautions: No Information

Technical Service





Methods for Containment and Clean Up: Pick up and transfer to properly labelled containers. No special environmental

precautions required. After cleaning, flush away traces with water.

Reference to other sections Please refer to disposal requirements or country specific disposal requirements for this

material. See Section 13 for further information

7. Handling and Storage

Precautions for safe handling: INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with

appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from

moisture.

PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at the

end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

Conditions for safe storage,

including any incompatibilities: CONDITIONS TO AVOID: No Information

STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

Specific end use(s): No specific advice for end use available.

8. Exposure Controls & Personal Protection

Ingredients with Occupational Exposure Limits

Name	CAS-No.	OSHAPEL	ACGIH TLV
quartz (silicon dioxide)	14808-60-7	50 μg/m3	0.025 mg/m
Portland cement	65997-15-1	10.0 MG/M3	10.0 MG/M3
Calcium hydroxide	1305-62-0	5. MG/M3	5. MG/M3

Further Information: Refer to the regulatory exposure limits for the workforce enforced in each country.

Exposure Controls
Personal Protection:

Respiratory Protection: Effective dust mask

Eye Protection: Safety glasses with side shields

Hand Protection: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing

before re-use.

Other Protective Equipment: No Information

Engineering Controls: Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

Appearance:	Granules / powder mix
Physical State:	Solid
Odor:	None
Odor threshold:	Not determined
pH:	11-14
Melting point / freezing point (°C):	Not Determined
Boiling point/range (°C):	N.D N.D.
Flash Point, (°F / °C):	N/A
Evaporation rate:	N/A
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive	999–0
limits:	
Vapor Pressure:	N/A
Vapor density:	N/A
Relative density:	Not Determined
Solubility in / Miscibility with water:	Slight
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature (°C):	Not determined

Technical Service



(888)780-3229 (Option 2)

Decomposition temperature (°C): Not determined

Viscosity: N/A

Explosive properties: N/A

Oxidizing properties: N/A

Other Information

VOC Content: g/l: 0

Density (lbs/gal): N/A

10. Stability and Reactivity

Reactivity: No reactivity hazards known under normal storage and use conditions.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No Information

Incompatible materials: Do not store near acids. Strong oxidizing agents.

Hazardous decomposition products: No hazardous decomposition products are known. Hydrogen fluoride

11. Toxicological Information

Acute Toxicity:	
Oral LD50:	No Information Available
Inhalation LC50:	No Information Available
Irritation:	Cement and hydrated lime powder, especially in a water mix, may cause
	irritant contact dermatitis and/or burns.
Corrosivity:	No Information Available
Sensitization:	No Information Available
Repeated dose toxicity:	No Information Available
Carcinogenicity:	No Information Available
Mutagenicity:	No Information Available
Toxicity for reproduction:	No Information Available

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
1305-62-0	calcium hydroxide	7340 mg/kr, oral, rat		
Additional Inf	ormation:	This product may contain Quartz (sili	con dioxide), which is	listed by IARC as a known
carcinogenic to humans (Group 1). This classification is relevant when exposed to			vant when exposed to	
		Quartz (silicon dioxide) in dust or pov	wder form only, includ	ling cured product that is

Quartz (silicon dioxide) in dust or powder form only, including cured production subject to sanding, grinding, cutting, or other surface preparation activities.

12. Ecological Information

Toxicity:

EC50 48hr (Daphnia):
IC50 72 hr (Algae):
Not available
LC50 (Fish):
Not available

Persistence and Degradability: Mostly non-biodegradable. The hydrated lime will react with atmospheric and

dissolved carbon dioxide to form calcium carbonate (e.g. chalk).

Bioaccumulative Potential: Not available

Mobility in Soil:

Results of PBT and vPvB Assessment:

Other Adverse Effects:

The product is not volatile and insoluble in water, will accumulate in the ground.

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

The addition of cement and hydrated lime to water will raise pH and may therefore be

toxic to aquatic life in some circumstances.





CAS-No.	Chemical Name	EC50 48hr	IC5072hr	LC50 96hr
14808-60-7	quartz (silicon dioxide)	No information	No information	
65997-15-1	Portland cement	No information	No information	
1305-62-0	Calcium hydroxide	No information	No information	

13. Disposal Considerations

Waste from residues/unused products: Disposal of container and unused contents in accordance with Federal, State and Local

Regulations

Contaminated packaging: Disposal of container and unused contents in accordance with Federal, State and Local

Regulations

14.Transport Information

Not applicable **UN Number:**

UN Proper Shipping Name: Not regulated for transport according to DOT, IMDG, and IATA regulations

Technical name: Not applicable Not applicable Transport hazard class(es): Not applicable Subsidiary shipping hazard: Packing group: Not applicable Not applicable Environmental hazards: Special precautions for user: Not applicable EmS-No.: Not applicable

Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC code: Not applicable

15. Regulatory Information

CERCLA - Sara Hazard Category: This product has been reviewed according to the EPA 'Hazard Categories' promulgated

> under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the

following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization,

Specific target organ toxicity (single or repeated exposure)

Sara Section 313: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act

(SARA) of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

Toxic Substances Control Act: This product contains the following chemical substances subject to the reporting

requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

US Clean Air Act:

EPA Coating Category: N/A EPA VOC Content Limit (g/l): N/A N/A

Product VOC Content (g/l)

Thinning Recommendations: N/A

Application Recommendations: For professional use only.

As per the federal EPA definition for coating categories in 40 CFR 59.401.

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

New Jersey Right to Know: The following materials are non-hazardous, but are among the top five components in

this product.

Chemical Name CAS-No.

No Chemical Name Found

Technical Service



(888)780-3229 (Option 2)

Pennsylvania Right to Know:

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u> <u>CAS-No.</u>

No Chemical Name Found

California Proposition 65: WARNING: Cancer - www.P65Warnings.ca.gov

Canadian DSL: All chemical ingredients included on inventory or exempt.

Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixture by the

supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H350 May cause cancer.

H370 Causes damage to organs.

Revision Date: November 22. 2019

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION CORROSHIELD INDUSTRIES INC. CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.