Safety Data Sheet:

Revision Date: 11/22/19





Corro Urocrete HD Part B

1. Product and Company Identification

Product Name:Corro Urocrete HDProduct Class:Polymer Blend Resin, Part B

Product Type: Component of a 4 Component Coating for Industrial Use

D.O.T. Category: Not Regulated

Manufacturer: Corroshield Industries Inc.

2575 United Lane

Elk Grove Village, IL 60007

Telephone: 847/298-7770

Emergency: 1-800/535-5053 INFOTRAC

2. Hazards Identification

Hazard-Risk Classification

Acute Toxicity

Inhalation: Category 2 Carcinogenicity: Category 2 Eye Irritation: Category 2 Category 1 Respiratory Sensitizer: STOT, repeated exposure: Category 2 STOT, single exposure: Category 3, RTI Skin Irritation: Category 2 Skin Sensitizer: Category 1

Label elements including precautionary statements

Hazard Pictograms/Symbols:



Signal Word: Danger

Named Chemicals on Label: 4,4'-methylenediphenyl diisocyanate, Diphenylmethane-2,4'-diisocyanate, isocyanic

acid, polymethylene
polyphenylene ester Skin Sensitizer, category l $\ensuremath{\mathrm{Eye}}$ Irritation,

category 2

Hazard Statements:

Tazara Statements.		
Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2	H319	Causes serious eye irritation.
Acute Toxicity, Inhalation, category 2	H330-2	Fatal if inhaled.
Respiratory Sensitizer, category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
Carcinogenicity, category 2	H351	Suspected of causing cancer.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.



Precaution Phrases:

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/
	face protection.
P284	Wear respiratory protection.
P285	In case of inadequate ventilation wear respiratory protection
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or
	doctor/physician.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in
	position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do so. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P341	If breathing is difficult, remove victim to fresh air and keep at
	rest in a position comfortable for breathing.
P342+311	If experiencing respiratory symptoms: Call a POISON
	CENTER or doctor/physician.
P403+233	Store in a well-ventilated place. Keep container tightly
	closed.

Other hazards: No Information

Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information on Ingredients

Mixtures Hazardous Ingredients:

CAS-No.	Chemical Name	%
101-68-8	4,4'-methylenediphenyl diisocyanate	25-50
9016-87-9	isocyanic acid, polymethylenepolyphenylene ester	25-50
5873-54-1	Diphenylmethane-2,4'-diisocyanate	10-25

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
101-68-8	GHS06-GHS08	H315-317-319-330-334-335-351-373	0
9016-87-9	GHS06-GHS08	H315-317-319-330-334-335-351-373	0
5873-54-1	GHS07-GHS08	H315-317-319-332-334-335-351-373	0

Additional Information:

The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First Aid Measures

Description of First Aid Measures:

General Notes: When symptoms persist or in all cases of doubt seek medical advice.

After Inhalation: Move to fresh air. Consult a physician after significant exposure.

After Skin Contact: Use a mild soap if available. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

After Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses.

After Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.



(888)780-3229 (Option 2)

Most important symptoms and effects, both acute and delayed:

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and

respiratory system.

Indication of any immediate medical attention and special treatment needed:

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-Fighting Measures

Extinguishing Media:

For Safety Reasons Not To Be Used: Special hazards arising from

the substance or mixture: Advice for firefighters:

Carbon Dioxide, Dry Chemical, Foam

Alcohol, Alcohol based solutions, any other media not listed above.

Heating or fire can release toxic gas.

In the event of fire, wear self-contained breathing apparatus. ABC powder. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Danger! water reactive substance. Reacts with water to release toxic gas. May be harmful or fatal

if inhaled.

6. Accidental Release Measures

Personal precautions, protective

equipment and emergency procedures:

Environmental precautions:

Ensure adequate ventilation. Use personal protective equipment.

Do not allow material to contaminate ground water system. Prevent product from

entering drains. Keep the container open.

Methods and material for

containment and cleaning up:

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section

Reference to other sections:

Please refer to disposal requirements or country specific disposal requirements for this

material. See Section 13 for further information.

7. Handling and Storage

Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used.

PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at

the end of workday. When using, do not eat, drink or smoke.

Conditions for safe storage, including any

incompatibilities

CONDITIONS TO AVOID: Keep from any possible contact with water. STORAGE CONDITIONS: Store in original container. Keep container tightly closed in a dry and well-ventilated place. Keep locked up or in an area accessible only

to qualified or authorised persons.

Specific end use(s) No specific advice for end use available.

8. Exposure Controls & Personal Protection

Ingredients with Occupational Exposure Limits

Name	CAS-No.	OSHAPEL	ACGIH TLV
4,4'-methylenediphenyl diisocyanate	101-68-8	0.02 PPM-CEILIN	0.005 PPM
Isocyanic acid, polymethylenepolyphenylene ester	9016-87-9		
Diphenylmethane-2,4'-diisocyanate	5873-54-1		

Further Information:

Refer to the regulatory exposure limits for the workforce enforced in each country.



(888)780-3229 (Option 2)

Exposure Controls Personal Protection:

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with a vapor filter.

Ensure that eyewash stations and safety showers are close to the workstation location. Eye Protection:

Tightly fitting safety goggles.

Hand Protection: Impervious gloves. Nitrile rubber. Long sleeved clothing. Remove and wash

contaminated clothing before re-use.

Other Protective Equipment: No Information

Engineering Controls: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in

confined areas.

9. Exposure Controls & Personal Protection

Information on basic physical and chemical properties:

Appearance: Brown liquid **Physical State** Liquid Odor Earthy, Musty Odor threshold Not determined Not determined pΗ Melting point / freezing point (°C) Not determined Boiling point/range (°C) 550 F - N.D. Flash Point, (°F / °C) >350 F **Evaporation rate** Not determined Flammability (solid, gas) Not determined Upper/lower flammability or explosive 999 - 0limits Vapor Pressure <0.0001 mbar @ 70oF Vapor density Relative density 1.24 @ 70 F Solubility in / Miscibility with water Insoluble, reacts to produce carbon dioxide and polyurea solid Partition coefficient: n-octanol/water Not determined >1110 F

Auto-ignition temperature (°C)

> 550 F Decomposition temperature (°C)

Viscosity 45-95 mPas at 80oF **Explosive properties** Not determined Not determined

Oxidizing properties Other Information

10 VOC Content: g/l: 10.21 Density (lbs/gal)

10. Stability and Reactivity

Reactivity: No reactivity hazards known under normal storage and use conditions.

Chemical stability: Container can be pressurized by carbon dioxide due to reaction with humid air and/or

water. Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur. Conditions to avoid: Keep from any possible contact with water.

Incompatible materials: Reacts violently in contact with acids, amines, driers, polymerisation accelerators and

easily oxidized materials. Contact with water or moist air liberates irritating gas.

Hazardous decomposition products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black

smoke.



11. Toxicological Information

Acute Toxicity:	
Oral LD50:	>5000 mg/kg, oral (rat)
Inhalation LC50:	490 mg/m3 (aerosol), 4 hrs.
Irritation:	Over exposure, especially when spraying without the necessary precautions, entails the risk of concentration dependent irritating effects on eyes, nose, throat, and respiratory tract. Prolonged contact with the skin may cause tanning and irritant effects.
Corrosivity:	No information available.
Sensitization:	Repeated and/or prolonged exposure especially at levels above the OEL, may cause an allergic reaction/respiratory or skin sensitization.
Repeated dose toxicity:	No information available
Carcinogenicity:	The classification for diphenylmethane diisocyanate has changed to carcinogenic, category 3 when it is in the form of respirable aerosol, e.g. when sprayed.
Mutagenicity:	No information available.
Toxicity for reproduction:	No birth defects seen in animal (rat) studies. Fetotoxicity was observed at doses that were extremely toxic (including lethal) to the mother. Fetotoxicity was not observed at doses that were not maternally toxic.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
101-68-8	4,4'-methylenediphenyl diisocyanate	15000 mg/kg oral		43 ppm vapor 4 hrs
9016-87-9	isocyanic acid,	>10000 mg/kg	>9400 mg/kg	049 mg/l (4 h, Aerosol. rat)
	polymethylenepolyphenylene ester			

Additional Information: Persons allergic to isocyanates, and particularly those suffering from asthma or

other respiratory conditions, should not work with isocyanates.

12. Ecological Information

Toxicity:

EC50 48hr (Daphnia): >1000 mg/l Not available IC50 72 hr (Algae): LC50 (Fish): Not available

Persistence and Degradability: The polyurea produced on contact with water is insoluble, inert, and non-

biodegradable. In air, the predominant degradation process is predicted to be a relatively

rapid OH radical attack, by calculation and by analogy with related isocyanates.

Bioaccumulative Potential: Not expected to be bioaccumulative.

Mobiliy in Soil: Reacts with water to produce carbon dioxide and polyurea solid.

Results of PBT and vPvB Assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. Other Adverse Effects: It is unlikely that significant environmental exposure in the air or water will arise from

normal application of this product.

CAS-No.	Chemical Name	EC50 48hr	IC50 72hr	LC50 96hr
101-68-8	4,4'-methylenediphenyl diisocyanate	>1000 mg/l	No information	>1000 mg/l
9016-87-9	isocyanic acid, polymethylenepolyphenylene ester	No information	1640 mg/l	>1000 mg/l
5873-54-1	Diphenylmethane-2,4'-diisocyanate	No information	No information	



(888)780-3229 (Option 2)

13. Disposal Considerations

Waste from residues/unused products: Disposal of container and unused contents in accordance with Federal, State and Local

Regulations

Contaminated packaging: Disposal of container and unused contents in accordance with Federal, State and Local

Regulations

14. Transport Information

UN Number: Not applicable

UN Proper Shipping Name: Not regulated for transport according to DOT, IMDG, and IATA regulations

Technical name:Not applicableTransport hazard class(es):Not applicableSubsidiary shipping hazard:Not applicablePacking group:Not applicableEnvironmental hazards:Not applicableSpecial precautions for user:Not applicable

Special precautions for user: Not applicable EmS-No.: Not applicable

Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC code: Not applicable

15. Regulatory Information

CERCLA – Sara Hazard Category: This product has been reviewed according to the EPA 'Hazard Categories' promulgated

under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories: Carcinogenicity, Acute Toxicity (any route of exposure), Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye

irritation, Specific target organ toxicity (single or repeated exposure)

Sara Section 313: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act

(SARA) of 1986 and 40 CFR part 372:

<u>Chemical Name</u> <u>CAS-No.</u> 4,4' methylenediphenyl diisocyanate 101-68-8

Toxic Substances Control Act: This product contains the following chemical substances subject to the reporting

requirements of TSCA 12(B) if exported from the United States: No TSCA 12(b)

components exist in this product

US Clean Air Act:

EPA Coating Category: Floor Coatings

EPA VOC Content Limit (g/l): 400
Product VOC Content (g/l) <10
Thinning Recommendations: None

Application Recommendations: For professional use only.

As per the federal EPA definition for coating categories in 40 CFR 59.401.

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

New Jersey Right to Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u> <u>CAS-No.</u>

No Chemical Name Found



(888)780-3229 (Option 2)

Pennsylvania Right to Know:

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u> <u>CAS-No.</u>

No Chemical Name Found

California Proposition 65: No Proposition 65 Chemicals exist in this product.

Canadian DSL: All chemical ingredients included on inventory or exempt.

Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/mixture by the

supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation

H330 Fatal if inhaled. H332 Harmful if inhaled.

H334 Causes serious eye damage.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Revision Date: November 22, 2019

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION CORROSHIELD INDUSTRIES INC. CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.