Safety Data Sheet:

(888)780-3229 (Option 2)

Technical Service



Revision Date: 08/14/19

Flexi-Caulk 916 Part B

1. Product and Company Identification

Product Name:Corro Flexi-Caulk 916Product Class:Epoxy Hardener, Part BProduct Type:Cycloaliphatic Amine

D.O.T. Category: UN2735

Manufacturer: Corroshield Industries Inc.

2575 United Lane

Elk Grove Village, IL 60007

Telephone: 847/298-7770

Emergency: 1-800/535-5053 INFOTRAC

Emergency telephone number (24h): 800-523-9374 USA

+1 610 481 7711 International

2. Hazard(s) Identification

GHS classification

Skin corrosion:Category 1BSerious Eye Damage:Category 1Skin sensitization:Category 1

Specific target organ

toxicity - repeated exposure: Category 2

GHS label elements

Description: UN2735, Amines, Liquid, Corrosive, N.O.S.;8; PGII, (Benzene-1,3 Dimethaneamine

(MXDA)/Trimethylhexamethylenediamine

Hazard pictograms/symbols:



Signal Word: Danger

Hazard Statements: H314:Causes severe skin burns and eye damage.

H317:May cause an allergic skin reaction.

 $H373a: May \ cause \ damage \ to \ organs \ through \ prolonged \ or \ repeated \ exposure \ if$

swallowed.

Precautionary Statements:

Response:

Prevention: P260:Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280:Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331:IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353:IF ON SKIN (or hair): Remove/Take off immediately all


contaminated clothing. Rinse skin with water/shower.

P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P310 :Immediately call a POISON CENTRE or doctor/physician.
P333+P313 :If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

Disposal: P501:Disposal of contents/container to be specified in accordance with regulations.





Hazards not otherwise classified: Corrosive

Components of the product may affect the nervous system.

Severe eye irritant.

3. Composition – Information on Ingredients

Components	CAS Number	Concentration
Benzyl alcohol	100-51-6	> 35%
Methylenebiscyclohexanamine, 4,4'-	1761-71-3	< 35 %
The remaining ingredients are trade secrets.		

4. First Aid Measures

General advice: Seek medical advice. If breathing has stopped or is labored, give assisted respirations.

Supplemental oxygen may be indicated. If the heart has stopped, trained personnel

should begin cardiopulmonary resuscitation immediately.

Eye contact: Hold eyelids apart, initiate and maintain gentle and continuous irrigation until the

patient receives medical care. If medical care is not promptly available, continue to

irrigate for one hour.

Skin contact: Immediately remove contaminated clothing, and any extraneous chemical, if possible to

do so without delay. Flush immediately with copious amounts of water. Initiate and maintain continuous irrigation until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour. Cover wound with sterile

dressing.

Ingestion: Do not induce vomiting without medical advice. If a person vomits when lyingon his

back, place him in the recovery position. Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn victim's head to the side. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen

may be indicated. If the heart has stopped, trained personnel should begin

cardiopulmonary resuscitation immediately. Move to fresh air.

Most important symptoms/

Inhalation:

effects - acuate and delayed: Eye disease. Skin disorders and Allergies. Asthma. Neurological disorders, Liver

Disorders.

5. Fire -Fighting Measures

Suitable extinguishing media: Alcohol-resistant foam.

Carbon dioxide (CO2).

Dry chemical. Dry sand. Limestone powder

Specific hazards: Incomplete combustion may form carbon monoxide. May generate ammonia gas. May

generate toxic nitrogen oxide gases. Burning produces noxious and toxic fumes.

Downwind personnel must be evacuated.

Special protective equipment for fire-fighters: Avoid contact with the skin. A face shield should be worn. Use personal protective

equipment. Wear self contained breathing apparatus for fire fighting if necessary.

Further information: Do not allow run-off from fire fighting to enter drains or water courses., Fire residues

and contaminated fire extinguishing water must be disposed of in accordance with

local regulations.

6. Accidental Release Measures

Personal Precautions, Protective

Equipment and Emergency Procedures: Wear suitable protective clothing, gloves and eye/face protection. Use self- contained

breathing apparatus and chemically protective clothing. Evacuate personnel to safe

areas.



(888)780-3229 (Option 2)

Environmental precautions: Use appropriate containment to avoid environmental contamination. Do not allow spill

to enter into sewers or waterways. Construct a dike to prevent spreading.

Methods for cleaning up: Approach suspected leak areas with caution. Place in appropriate chemical waste

container.

Additional advice: Open enclosed spaces to outside atmosphere.. If possible, stop flow of product.

7. Handling and Storage

Handling: Use only in well-ventilated areas. Avoid breathing vapors and/or aerosols. Avoid

contact with skin and eyes. Avoid contact with eyes. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat,

drink or smoke.

Storage: Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated

place. Product may partially freeze with extended exposure to cold temperatures, resulting in crystallization, haziness or separation. If this occurs, product should be warmed to $100-140^{\circ}F$ (38-60°C) for one hour and stirred until clear. Do not store near

acids. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure Controls/Personal Protection

Engineering measures: Provide readily accessible eye wash stations and safety showers. Provide natural or

explosion-proof ventilation adequate to ensure concentrations are kept below exposure

limits.

Personal protective equipment

Respiratory protection: Wear appropriate respirator when ventilation is inadequate

Hand protection: Butyl-rubber

Nitrile rubber. Neoprene gloves. PVC disposable gloves

Polyvinyl Alcohol Gloves (PVA).

Impervious gloves.

Chemical-resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Eye protection: Full face shield with goggles underneath.

Chemical resistant goggles must be worn.

Skin and body protection: Slicker Suit.

Impervious clothing.

Full rubber suit (rain gear). Rubber or plastic boots.

Environmental exposure controls: Use appropriate containment to avoid environmental contamination. Do not allow

spill to enter into sewers or waterways.

Special instructions for protection and hygiene: Discard contaminated leather articles. Wash hands at the end of each workshift and

before eating, smoking or using the toilet. Provide readily accessible eye wash stations

and safety showers.

Exposure limit(s)

Benzyl alcohol Time Weighted Average (TWA): WEEL 10 ppm 44.20 mg/m3

9. Physical and Chemical Properties

Appearance: Liquid. Amber
Odor: Ammoniacal.
Odor threshold: No data available.

oH: Alkaline.

Melting point/range:

Boiling point/range:

Flash point:

No data available.

405 °F (207 °C)

234 °F (112 °C)



(888)780-3229 (Option 2)

Evaporation rate:

Flammability (solid, gas):

Upper/lower explosion/flammability limit:

No data available.

Not applicable.

Not applicable.

Vapor pressure: <10.34 mmHg at 70 °F (21 °C)

Water solubility: $< 0.1 \, g/l$ Relative vapor density: Not applicable. Relative density: 1.03 (water = 1)No data available. Partition coefficient (n-octanol/water): Auto-ignition temperature: No data available. No data available. Decomposition temperature: Viscosity: No data available. Molecular Weight: No data available.

Density: 64.301 lb/ft3 (1.03 g/cm3) at 70 °F (21 °C)

10. Stability and Reactivity

Chemical Stability: Stable under normal conditions.

Conditions to avoid: No data available.

Materials to avoid: Reactive metals (e.g. sodium, calcium, zinc etc.).

Materials reactive with hydroxyl compounds. Organic acids (i.e. acetic acid, citric acid etc.).

Mineral acids. Sodium hypochlorite.

Product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide

possibly creating an explosion.

Oxidizing agents.

Hazardous decomposition products: Nitric acid.

Ammonia

Nitrogen oxides (NOx).

Nitrogen oxide can react with water vapors to form corrosive nitric acid.

Carbon monoxide. Carbon dioxide (CO2).

Aldehydes

Flammable hydrocarbon fragments. Nitrosamine.

In case of fire hazardous decomposition products may be produced such as:

Possibility of hazardous Reactions/Reactivity: No data available.

11. Toxological Information

11.1 Information on toxicological effects

Likely routes of exposure

Effects on Eye: Causes eye burns. May cause blindness. Severe eye irritation

Effects on Skin: Causes skin burns. If absorbed through the skin, may cause central nervous system

effects, such as headache, nausea, dizziness, confusion, breathing difficulties.

Inhalation Effects: Harmful if inhaled and may cause delayed lung injury. Can cause severe eye, skin and

respiratory tract burns. Risk of serious damage to the lungs (by inhalation). May cause nose, throat, and lung irritation. Inhalation of aerosol may cause irritation to the upper respiratory tract. May cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties. Severe cases of overexposure can result in

respiratory failure

Ingestion Effects: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of

the oesophagus and the stomach. Harmful if swallowed.

Symptoms: No data available.

Acute Toxicity

Acute Oral Toxicity: LD50: > 2,000 mg/kg Species: Rat. Method: Estimated



(888)780-3229 (Option 2)

Inhalation: No data is available on the product itself.

Inhalation - Components

Benzyl alcohol LC50 (4 h): > 4.178 mg/l Species: Rat. OECD Test Guideline 403

Acute Dermal Toxicity: LD50 : > 2,110 mg/kg Species : Rabbit. Skin corrosion/irritation: Corrosive to the skin of a rabbit

Serious eye damage/eye irritation: Severe eye irritation.

Sensitization: May cause sensitization of susceptible persons by skin contact

Chronic toxicity or effects from long term exposures

Carcinogenicity: No Data available

Reproductive toxicity:

No data is available on the product itself.

No data is available on the product itself.

Specific target organ systemic

toxicity (single exposure): No data available

Specific target organ systemic

toxicity (repeated exposure):

Aspiration hazard:

No data available

No data available

Delayed and Immediate Effects and Chronic

Effects from Short and Long Term Exposure: This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or

OSHA in concentrations of 0.1 percent or greater. Eye disease., Skin disorders and

Daphnia magna

Allergies., Asthma., Neurological disorders, Liver disorders.

12. Ecologocal Information

Ecotoxicity effects Aquatic toxicity:

 $\begin{tabular}{lll} \textbf{Toxicity to fish - Components} & \textbf{Data} & \textbf{Species} \\ \textbf{Benzyl alcohol} & LC50 (96 \text{ h}) : 10 \text{ mg/l} & \textbf{Bluegill sunfish (Lepomis macrochirus).} \\ \textbf{Benzyl alcohol} & LC50 (96 \text{ h}) : 460 \text{ mg/l} & \textbf{Fathead minnow (Pimephales promelas).} \\ \textbf{Methylenebiscyclohexanamine, 4,4'} & LC0 (96 \text{ h}) : 46 \text{ mg/l} & \textbf{Golden orfe (Leuciscus idus).} \\ \textbf{Methylenebiscyclohexanamine, 4,4'} & LC50 (96 \text{ h}) : > 100 \text{ mg/l} & \textbf{Golden orfe (Leuciscus idus).} \\ \end{tabular}$

No data is available on the product itself.

Toxicity to daphnia – Components Methylenebiscyclohexanamine, 4,4' Toxicity to algae – Components

Benzyl alcohol IC50 (72 h) : 700 mg/l Algae Methylenebiscyclohexanamine, 4,4' EC50 (72 h) : 140 - 200 mg/l Algae

EC50 (48 h): 6.84 mg/l

Toxicity to other organisms No data available

Persistence and degradability

Biodegradability: No data is available on the product itself.

Mobility: No data available.

Bioaccumulation: No data is available on the product itself.

Bioaccumulation - Components

Benzyl alcohol: Low bioaccumulation potential

13. Disposal Information

Waste from residues / unused products: The product should not be allowed to enter drains, water courses or the soil; dispose of

this material and its container in a safe way. Contact supplier if guidance is required.

Contaminated packaging: Dispose of container and unused contents in accordance with federal, state, and local

requirements.





14. Transport Information

INFORMATION dot

UN/ID No: UN2735

Shipping name: Amines, liquid, corrosive, n.o.s., (4,4'-Methylenebiscyclohexanamine)

Class or Division: 8
Packing Group: III
Label (s): 8
Marine Pollutant: No

IATA

UN/ID No: UN2735

Shipping Name: Amines, liquid, corrosive, n.o.s., (4,4'-Methylenebiscyclohexanamine)

Class or Division: 8
Packing Group: III
Label (s): 8
Marine Pollutant: Yes

IMDG

UN/ID No: UN2735

Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S., (4,4'-Methylenebiscyclohexanamine)

Class or Division: 8
Packing Group: III
Label (s): 8
Marine Pollutant: Yes

TDG

UN/ID No: UN2735

Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S., (4,4'-Methylenebiscyclohexanamine)

Class or Division: 8
Packing Group: III
Label (s): 8
Marine Pollutant: No

15. Regulatory Information

Toxic Substance Control Act (TSCA) 12(b) Component(s): None.

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Included on EINECS inventory or polymer substance, monomers included on EINECS inventory or no longer polymer.
Canada	DSL	Not on Inventory. Notifications have been submitted to Environment Canada.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Not on Inventory.

^{**} NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

^{**} NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.



(888)780-3229 (Option 2)

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

Acute Health Hazard

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level

None.

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

16.Other Information

HMIS Rating

Health: 3
Flammability: 1
Physical hazard: 0

Latest Revision: August 14, 2019

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION CORROSHIELD INDUSTRIES INC. CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.